



Republic of the Philippines  
Province of Iloilo  
**MUNICIPALITY OF CABATUAN**  
Tel. No. (033) 522-7861 local 106 /Telefax No. (033) 522-8940

**BIDS AND AWARDS COMMITTEE**

**SUPPLEMENTAL BID BULLETIN**  
ADDENDUM NO.1

**Concreting of Wenceslao Grio (0.095 KM) @ Brgy. Zone I, Cabatuan, Iloilo**

This Addendum No. 1 dated February 10, 2022 is issued to clarify, modify or amend the Bid Documents. This shall form an integral part of the Bid Documents.

References:  
Invitation to Bid/Bill of Quantities


Item No.	Scope of Work	Quantity	Clarification/Modification
B.5	Project Billboard (2 units)	1 lot	1 Project Billboard (8" x 8") 1 Billboard (8" x 4") Location: Starting point of the project
I	Item 105- Sub-Grade Preparation	570 sq.m.	
II	Item 201-Aggregate Base Coarse -Carriage use 0.15m compacted thickness  -Shoulder use 0.20m compacted thickness	85.50 cu.m.	Compacted Including shouldering of 1m x0.20m both side
III	Item 311, Portland Cement Concrete Pavement 4m wide x 0.20m thickness PCCP with 2m x 0.20 shoulders concrete	570 sq.m.	Mixture Class A pass the 3500 psi comp. strength Use Premium Portland Cement for Concrete Mixer (1 bagger) 3,500 PSI for Pre-Mix using transit mixer Use RSB at least Grade 33 16mmØ Deformed RSB 16mmØ Plain Round Bar 10mmØ RSB for staking Use asphalt for sealant
IV	Materials Testing -Aggregates (fine & coarse) -Cement	1 lot (Aggregates, Cement, Concrete & Reinforce Steel Bars)	1 Test for aggregates (fine & coarse) 5 Random Test for Portland

*Supplemental Bid Bulletin for the Concreting of Wenceslao Grio Municipal Road  
Poblacion, Cabatuan, Iloilo  
February 10, 2022*

	-Concrete -Flexure/Beam Test -Field Density Test		Cement 1-Cement Flexure Test  1 Test for Steel bars & Field Density Test  All testing of materials shall be done by any DPWH Accredited testing centers. Materials tests & laboratory results must conformed with the DPWH standards
--	--	--	---

- Contract duration – 45 Calendar Days to include Saturdays, Sundays , Holidays including a non-workable 20 days;
- The winning bidder could ask time extension with justification for non-workable in excess of 20 days.
- Bidders must submit Original Copy & Copy 1 of envelope 1 and 2 respectively.
- Mobilization – 15% of the Contract Price
- Progress Billing on contractor's discretion w/ 10% Retention on every billing.
- All documents stated in the Class A Envelope must be valid during opening of Bid.
- The bidders were reminded to familiarize themselves with the provision of 2016 Revised IRR (Implementing Rules and Regulations) of R.A. 9184 (the Government Procurement Reform Act).
- The Checklist of Requirements is already included in the Bid Documents.
- Arrange and label the documents based on the checklist.

For guidance and information of all concerned.

  
**JOSE NORMAN R. UMADHAY**  
 BAC Chairperson