

Republic of the Philippines Province of Iloilo MUNICIPALITY OF CABATUAN

Tel. No. (033) 522-7861 local 106 /Telefax No. (033) 522-8940

BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN

ADDENDUM NO.1

PR No. 2023-01-0028: Procurement of Materials for the Construction of Two Storey MDRRM building Phase III at Cabatuan, Iloilo

Adopted by the BAC during its meeting on February 16, 2023.

Supplemental Bid Bulletin No. 1 is issued to clarify, modify or amend the Bid Documents. This shall form an integral part of the Bid Documents.

Refer	ence		10000	Clarification/Modification/Amendment					
			Invitation to	Bid/Deli	very So	hedule			
From	One	(1) Lo		To: Th	ree (3)	Lots	Tarrico and State Science		
Pr	rocure nstruct	ment of tion of T Building BC= P1,	Materials for the wo Storey MDRRM Phase III .755,700.00	Lot I – Construction Materials (Item No. 1 to Item No. 22 and Item No. 37 to Item No.74 ABC= P1,216,185.00 Bidding Doc Fee: P4,000.00 Delivery Schedule- 10 calendar days upon receipt of approved Notice to Proceed.					
Bidding Doc. Fee: P5,000.00 Delivery Schedule – 25 calendar days			Lot II – Glassworks with Installation (Doors & Windows) Item No. 23 to Item No. 36 ABC= P254,850.00 Bidding Doc Fee: P500.00 Delivery Schedule- 25 calendar days upon receipt of approved Notice to Proceed. Lot III – Airconditioning Units with Installation (Item No. 75 to Item No. 76) ABC= P284,665.00 Bidding Doc Fee: P500.00 Delivery Schedule- 25 calendar days upon receipt of approved Notice to Proceed.						
Tock	nical	Specif	ication/Price Scheo	lule/Bill	of Qua	ntities			
Ite m No.	Qty	Unit	Description	Item	Qtv	Unit	Description		
140.	4.,	- relig		Lot I -	- Constr	uction M	laterials (Item No. 1 to Item		
				No. 22	and Iten	No. 37 t	to Item No.74		
1	724	bags	Portland Cement, Type 1, 40kgs., Premium	1	724	bags	Portland Cement, Type 1, 40kgs., Premium		
2	100	length	16mmØ x 6m def RSB, standard, grade 33	2	100	length	16mmØ x 6m def RSB, standard, grade 33		
3	300	length	10mmØ x 6m def RSB, standard, grade 33	3	300	length	10mmØ x 6m def RSB, standard, grade 33		
4	3	rolls	#16 G.I. Tie Wire, 30kls/roll	4	3	rolls	#16 G.I. Tie Wire, 30kls/roll		

5	20	pcs.	Hacksaw Blade, 18tpi	5	20	pcs.	Hacksaw Blade, 18tpi
6	4	rolls	Nylon String, #14 x 25m	6	4	rolls	Nylon String, #14 x 25m
-	-	10110	1½"Ø x 20' G.I. Pipe,				
7	2	length	sch. 40	7	2	length	11/2"Ø x 20' G.I. Pipe, sch. 40
-		longer	11/4"Ø x 20' G.I. Pipe,	209.5			
8	3	length	sch. 40	8	3	length	11/4"Ø x 20' G.I. Pipe, sch. 40
0	3	length	1" x 1.2mm thk x 6m				1" x 1.2mm thk x 6m Square
	40	lanath	Square Tubing, G.I.	9	10	length	Tubing, G.I.
9	10	length		3	10	lengur	Tubing, C.I.
	45		Welding Rod, e6013,	10	15	kgs.	Welding Rod, e6013, 2.5mmØ
10	15	kgs.	2.5mmØ	10	10	Nys.	4"Ø Cutting Disc, superthin,
			4"Ø Cutting Disc,	44	6	hoves	10's/box
11	6	boxes	superthin, 10's/box	11	6	boxes	1/4" x 2" x 2" x 6m Angle Bar,
			1/4" x 2" x 2" x 6m Angle				
12	35	length	Bar, std.	12	35	length	std.
			1/4" x 11/2" x 11/2 x 6m				1/4" x 11/2" x 11/2 x 6m Angle
13	42	length	Angle Bar, std.	13	42	length	Bar, std.
			1.2mm x 2" x 4" x 6m C-			2007	1.2mm x 2" x 4" x 6m C-
14	46	length	Purlins	14	46	length	Purlins
			Hi-Rib Long Span	1989			Condition of the section
			Roofing, 1m Effective			138	Hi-Rib Long Span Roofing, 1m
15	140	In.m.	Width, Spanish Red	15	140	ln.m.	Effective Width, Spanish Red
TV II		949	Wall Flashing, 0.4mm thk			- gais	Wall Flashing, 0.4mm thk x
16	18	length	x 2.40m, Spanish Red	16	18	length	2.40m, Spanish Red
	10	iongui	Welding Rod, e6013,				
17	90	kgs.	2.5mmØ	17	90	kgs.	Welding Rod, e6013, 2.5mmØ
11	30	Ngs.	4" Steel Cutting Disc,				4" Steel Cutting Disc,
40	10	hoves	Superthin, 10's/box	18	10	boxes	Superthin, 10's/box
18	10	boxes	Teckscrew w/ noeprene	-10	10	DUAGO	Teckscrew w/ noeprene
	000			19	800	pcs.	washer, 2" long
19	800	pcs.	washer, 2" long		5	Itrs.	Roof Sealant
20	5	Itrs.	Roof Sealant	20	5	IUS.	Roor Sealant
			1/4" thk x 1.10m x 2.10m				1/8 45 4 40 0 40 Cinala
			Single Swing Solid Core				1/4" thk x 1.10m x 2.10m Single
			Panel Door on Stain				Swing Solid Core Panel Door
21	1	unit	Finish	21	1	unit	on Stain Finish
	Value of		1.10m x 2.10m Door				
		1886	Jamb, 2" x 6" Mahogany			1323	1.10m x 2.10m Door Jamb, 2"
22	1	unit	Wood	22	1	unit	x 6" Mahogany Wood
	J. W.		Cement Fiber Board,		GUILD S	post -	Cement Fiber Board, 3/16" x
37	153	shts.	3/16" x 4' x 8'	23	153	shts.	4' x 8'
		- The St. 1	0.6mm x 25mm x 3m	- 56 - 1		1000 B	0.6mm x 25mm x 3m Wall
38	80	length	Wall Angle Bar, G.I.	24	80	length	Angle Bar, G.I.
	-	10.1.3.1.	0.4mm x 19mm x 50mm	10 1		reda: 1	Alton Linner 2 Convention Sec.
			Double Metal Furring,				0.4mm x 19mm x 50mm
39	350	length	G.I.	25	350	length	Double Metal Furring, G.I.
40	500	pcs.	W-clip, #7	26	500	pcs.	W-clip, #7
40	300	pcs.	1/8" x Blind Rivets			+	II
		h		27	8	boxes	1/8" x Blind Rivets (500pcs)
41	8	boxes	(500pcs)	21	-	DOXES	170 X Billia Mivels (Geopes)
			1/8" x 1½" Metal Black	00	_	l ban	1/8" x 11/2" Metal Black Screw
42	5	kgs.	Screw	28	5	kgs.	
43	4	boxes	9/64" Drill Bit, 10's/box	29	4	boxes	9/64" Drill Bit, 10's/box
44	30	pcs.	18 watts LED Lamp	30	30	pcs.	18 watts LED Lamp
45	30	pcs.	6"Ø Pinligth Housing	31	-30	pcs.	6"Ø Pinligth Housing
			2.0mm ² THHN/THWN cu.				2.0mm ² THHN/THWN cu.
46	3	rolls	Wire	32	3	rolls	Wire
			3.5mm ² THHN/THWN cu.				3.5mm ² THHN/THWN cu.
47	3	rolls	Wire	33	3	rolls	Wire
71	+ -	10110	1 Gang Switch w/ cover,				1 Gang Switch w/ cover, Flush
10	8	cote	Flush Type	34	8	sets	Type
48	0	sets		34	+ -	3013	2 Gang Switch w/ cover, Flush
	1		2 Gang Switch w/ cover,	25	10	acto	Type
49	12	sets	Flush Type	35	12	sets	
50	5	rolls	Electrical Tape, Big	36	5	rolls	Electrical Tape, Big
	10.00		WC-Elongated Tank				WC-Elongated Tank Type, w/
	2	sets	Type, w/ Complete	37	2	sets	Complete Fittings and

	T		Fittings and Accessories				Accessories
52	2	sets	Lavatory w/ Complete Fittings and Accessories	38	2	sets	Lavatory w/ Complete Fittings and Accessories
1	-	3013	Goose-neck Faucet,				
53	2	sets	Stainless	39	2	sets	Goose-neck Faucet, Stainless
54	2	pcs.	Floor Drain (Stainless Steel 4"S/S)	40	2	pcs.	Floor Drain (Stainless Steel 4"S/S)
			Wall Faucet, 1/2"Ø				14/ II 5 1 1/IIG (Ctainless)
55	4	pcs.	(Stainless)	41	4	pcs.	Wall Faucet, ½"Ø (Stainless) Teflon Tape, ¾"
56	5	rolls	Teflon Tape, 3/4"	42	5	rolls	Tenon Tape, 74
57	132	pcs.	300mm x 600mm Porcelain Floor Tiles, Unglazed	43	132	pcs.	300mm x 600mm Porcelain Floor Tiles, Unglazed
31	102	poo.	300mm x 600mm Porcelain Wall Tiles,				300mm x 600mm Porcelain
58	190	pcs.	Unglazed	44	190	pcs.	Wall Tiles, Unglazed
59	8	packs.	Tile Grout, 2kg/pack	45	8	packs.	Tile Grout, 2kg/pack
	e fersifi		Concrete Primer and			1931	Consents Drimes and Sealer
60	8	gals	Sealer	46	8	gals	Concrete Primer and Sealer
61	4	gals	Latex Putty	47	4	gals	Latex Putty Acrylic Concrete Primer and
			Acrylic Concrete Primer	40	8	nale	Sealer
62	8	gals	and Sealer	48	8	gals gals	Flat Latex Paint, white
63	8	gals	Flat Latex Paint, white	49	0	yais	Tiat Latex i aint, winte
64	8	gale	Semi-Gloss Latex Paint, white	50	8	gals	Semi-Gloss Latex Paint, white
64	0	gals	Epoxy Primer with			-	Epoxy Primer with Catalyst,
65	8	gals	Catalyst, Grey	51	8	gals	Grey
00 /	-	guio	#80 Sandpaper,				
66	20	ft.	Waterproof	52	20	ft.	#80 Sandpaper, Waterproof
	T .		#120 Sandpaper,				#400 C
67	30	ft.	Waterproof	53	30	ft.	#120 Sandpaper, Waterproof
			#200 Sandpaper,		20	-	#200 Sandpaper, Waterproof
68	30	ft.	Waterproof	54	20	ft.	Baby Roller, polyester
69	20	pcs.	Baby Roller, polyester	55 56	20	pcs.	Paint Brush, 4"
70	20	pcs.	Paint Brush, 4"	57	5	pcs.	Paint Brush, 3"
71	5	pcs.	Paint Brush, 3" 57.50mm x 207.50mm x	31	+ -	1 100.	57.50mm x 207.50mm x
72	900	pcs.	20mm Tile Brick	58	9000	pcs.	20mm Tile Brick
72	- 0	pcs.	1/8" x 3' Sand Screen.	- 00	-		1/8" x 3' Sand Screen, Heavy
73	20	mtrs.	Heavy Duty	59	20	mtrs.	Duty
74	6	rolls	Nylon String, 2.5mmØ x 25m	60	6	rolls	Nylon String, 2.5mmØ x 25m
	1			Lot II	- Glass	works v	with Installation (Doors &
							3 to Item No. 36
23	1	unit	1/4" thk x 1.50m x 2.060m Double Swing Bronze Glass Door on Analok Alum. Frame with complete accessories and Installation	1	-1	unit	1/4" thk x 1.50m x 2.060m Double Swing Bronze Glass Door on Analok Alum. Frame with complete accessories an Installation
		- Can int	1/4" thk x 2.88m x 2.10m				
			Double Swing Bronze Glass Door with 2- 0.540m x 2.10m Fixed Glass on Analok Alum. Frame w/ complete Accessories and	2	2	units	1/4" thk x 2.88m x 2.10m Double Swing Bronze Glass Door with 2-0.540m x 2.10m Fixed Glass on Analok Alum. Frame w/ complete Accessories and Installation
24	2	units	Installation 1/4" thk x 1.10m x 2.060m	1 2	-	units	1/4" thk x 1.10m x 2.060m
25	1	unit	Single Swing Bronze Glass Door on Analok Alum. Frame with Complete Accessories	3	1	unit	Single Swing Bronze Glass Door on Analok Alum. Frame with Complete Accessories and Installation

			and Installation				Participation of the Control of the
26	1	unit	"" thk x 2.00m x 2.10m Double Swing Bronze Glass Door with 2- 0.200m x 2.10m Fixed Glass on Analok Alum. Frame w/ complete Accessories and Installation	4	1	unit	1/4" thk x 2.00m x 2.10m Double Swing Bronze Glass Door with 2-0.200m x 2.10m Fixed Glass on Analok Alum. Frame w/ complete Accessories and Installation
		of As	1/4" thk x 1.00m x 2.10m Single Swing Bronze Glass Door on Analok Alum. Frame with Complete Accessories				1/4" thk x 1.00m x 2.10m Single Swing Bronze Glass Door on Analok Alum. Frame with Complete Accessories and
27	1	unit	and Installation	5	1	unit	Installation
28	8	units	1/4" thk x 1.20m x 1.20m Sliding Bronze Glass Window on Analok Alum. Frame	6	8	units	1/4" thk x 1.20m x 1.20m Sliding Bronze Glass Window on Analok Alum, Frame
29	6	units	1/4" thk x 0.60m x 0.60m Awning Bronze Glass Window on Analok Alum. Frame	7	6	units	1/4" thk x 0.60m x 0.60m Awning Bronze Glass Window on Analok Alum, Frame
30	1	unit	1/4" thk x 1.20m x 0.80m Sliding Bronze Glass Window on Analok Alum. Frame	8	1	unit	1/4" thk x 1.20m x 0.80m Sliding Bronze Glass Window on Analok Alum, Frame
31	6	units	1/4" thk x 1.20m x 1.60m Sliding Bronze Glass Window on Analok Alum. Frame	9	6	units	1/4" thk x 1.20m x 1.60m Sliding Bronze Glass Window on Analok Alum. Frame
32	2	units	1/4" thk x 1.30m x 1.60m Sliding Bronze Glass Window on Analok Alum. Frame	10	2	units	1/4" thk x 1.30m x 1.60m Sliding Bronze Glass Window on Analok Alum. Frame
33	3	units	1/4" thk x 1.80m x 1.60m Sliding Bronze Glass Window on Analok Alum. Frame	11	3	units	1/4" thk x 1.80m x 1.60m Sliding Bronze Glass Window on Analok Alum. Frame
34	2	units	1/4" thk x 1.60m x 1.20m Sliding Bronze Glass Window on Analok Alum. Frame	12	2	units	1/4" thk x 1.60m x 1.20m Sliding Bronze Glass Window on Analok Alum. Frame
35	1	unit	1/4" thk x 1.10m x 1.10m Sliding Bronze Glass Window on Analok Alum. Frame	13	1	unit	1/4" thk x 1.10m x 1.10m Sliding Bronze Glass Window on Analok Alum. Frame
36	1	unit	1/4" thk x 1.20m x 0.60m Sliding Bronze Glass Window on Analok Alum. Frame				1/4" thk x 1.20m x 0.60m Sliding Bronze Glass Window
55	-	unit	Tallic	14 Lot III	- Airce	unit	on Analok Alum. Frame ing Units with Installation
				(Item N	lo. 75 to	Item No	. 76)
75	3	units	Split Type Inverter Airconditioning Unit with Complete Accessories,	1	3	units	Split Type Inverter Airconditioning Unit with Complete Accessories,
			2HP, Capacity (Cool/Heat)-19000kJH, Rated Current -8.5A,				2HP, Capacity (Cool/Heat)- 19000kJH, Rated Current - 8.5A,
			Rated Power, Input-1760 watts, Pressure (High/Low)-H-3.50MPa/0.78MPa,				Rated Power, Input-1760 watts, Pressure (High/Low)-H-3.50MPa/0.78MPa,

			Refrigerant-R-410A 770g, Climate Class-T1, and Installation				Refrigerant-R-410A 770g, Climate Class-T1, and Installation
76	1	unit	nit 1HP Standard Split Type Inverter Air Conditioning Unit with Complete Accessories and Includes Installation	2	1	unit	1HP Standard Split Type Inverter Air Conditioning Unit with Complete Accessories and Includes Installation

Issuance of Amended Technical Specifications, Schedule of Requirements, Bill of Quantities/Price Schedule (see attached)

Bidders are required to state the brand name of the product offered in the Price Schedule/Bill of Quantities.

Deadline of Submission: Before 1:30 P.M. on February 23, 2023

Opening of Bid: February 23, 2023 at 1:30 P.M.

For guidance and information of all concerned.

JOSE NORMAN R. UMADHAY

BAC Chairperson